

Mallia™

L   **OK**
T  **UCH**
L  **VE**
W  

Express Yourself Like Never Before

 **legrand**®



inside

LOOK	Love at First Sight	4
TOUCH	Something to Behold	10
LOVE	Marvel at the Versatility	12
WOO	Form and Functionality	18
CLOSE	Detail Catalogue	20

Love at First Sight

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the renewed Mallia range exudes alluring elegance and uncompromised simplicity – like always.



White

Silver

Pearl

Dark Silver



TOUCH



Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia range is more than just a head turner. Its matt satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.


A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



The slim profile promises to be a perfect fit for every space and design.



It's so simple




Mixing colours is a breeze with Mallia. Beyond promising endless possibilities with the expanded range, the license to blend them in anywhere desired is just sheer joy.

LOOK



LOOK



Let the plateful of new Mallia colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, mysterious dark silver, melodic brass, sexy matt black, there is a colour for every style.

A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, bronze with pearl, matt black with dark silver, silver with dark silver and more, the combinations are simply boundless.



Irresistibly charming. The new Mallia is so easy to love. Like a chameleon that is highly adaptable, Mallia rises up to the occasion, in style – always.



100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia.

W

Our affinity lasts a lifetime. Not only does Mallia offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.



21.6 mm

Slim design of the mechanisms gives way for larger wiring space in the box.

milky smooth




metallic blast



LOVE

Marvel at the Versatility of Mallia™



The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

LOVE

Even more versatile than you expect

The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Beyond getting the ergonomics right, Mallia goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the multi-zone control unit that also enables intercom and remote child-monitoring.



Stand alone tuner Central unit Loudspeaker Radio tuner with local control unit

Form does not need to be compromised with Mallia. TV and FM sockets can now sit right beside the rest of your switches. No compromise to style.



TV female terminal socket FM-TV socket

Be connected to the world in style with Telephone and Data sockets from Mallia.




Telephone socket Data socket

We know what counts. Mallia's automatic switches and time delay switches help to save energy, so that there is more for other things.




Rotary dimmer control and 2 way switch Automatic switch Time delay switch



1-gang switch 2-gang switch 3-gang switch 4-gang switch 2-gang illuminated switch 3-gang illuminated switch Bell push-button Indicator for Do not disturb / Clean up and bell push-button Do not disturb / Clean up 2-gang switch Rotary dimmer




Fan speed control Telephone socket 2-gang switch with transparent rocker and label holder 1-gang 45A DP switch with LED indicator 1-gang (BS) socket outlet 2-gang BS socket outlet 1-gang BS socket and double Euro US socket Automatic switch FM-TV socket



Mallia plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ complete - white

single pole switches



2810 00 2810 04

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Mallia™ dressable - colour

single pole switches



2830 02 2832 04

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Plates selection chart (p. 36)

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2810 00	1 gang - 1-way switch ○ White
10	2810 01	1 gang - 2-way switch ○ White
4	2810 08	1 gang - intermediate switch ○ White
10	2810 02	2 gang - 1-way switch ○ White
10	2810 03	2 gang - 2-way switch ○ White
10	2810 04	3 gang - 1-way switch ○ White
10	2810 05	3 gang - 2-way switch ○ White
10	2810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2830 00	1 gang - 1-way switch ● Silver
5	2832 00	● Pearl
5	2834 00	● Dark Silver
5	2830 01	1 gang - 2-way switch ● Silver
5	2832 01	● Pearl
5	2834 01	● Dark Silver
4	2830 08	1 gang - intermediate switch ● Silver
4	2832 08	● Pearl
4	2834 08	● Dark Silver
5	2830 02	2 gang - 1-way switch ● Silver
5	2832 02	● Pearl
5	2834 02	● Dark Silver
5	2830 03	2 gang - 2-way switch ● Silver
5	2832 03	● Pearl
5	2834 03	● Dark Silver
5	2830 04	3 gang - 1-way switch ● Silver
5	2832 04	● Pearl
5	2834 04	● Dark Silver
5	2830 05	3 gang - 2-way switch ● Silver
5	2832 05	● Pearl
5	2834 05	● Dark Silver
5	2830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2832 06	● Pearl
5	2834 06	● Dark Silver
5	2830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2832 07	● Pearl
5	2834 07	● Dark Silver

Mallia™ complete - white

single pole switches (continued)



2810 10



2810 16

Mallia™ dressable - colour

single pole switches (continued)



2830 12



2834 16



Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
10	2810 10	Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied 1 gang - 1-way switch ○ White
10	2810 11	1 gang - 2-way switch ○ White
4	2810 09	1 gang - intermediate switch ○ White
10	2810 12	2 gang - 1-way switch ○ White
10	2810 13	2 gang - 2-way switch ○ White
10	2810 14	3 gang - 1-way switch ○ White
10	2810 15	3 gang - 2-way switch ○ White
10	2810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
5	2830 10	Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied 1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2832 10	
5	2834 10	
5	2830 11	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2832 11	
5	2834 11	
4	2830 09	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2832 09	
4	2834 09	
5	2830 12	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2832 12	
5	2834 12	
5	2830 13	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2832 13	
5	2834 13	
5	2830 14	3 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2832 14	
5	2834 14	
5	2830 15	3 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2832 15	
5	2834 15	
5	2830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2832 16	
5	2834 16	
5	2830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2832 17	
5	2834 17	

Mallia™ complete - white

single pole switches (continued)



2810 50 2810 53

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Mallia™ dressable - colour

single pole switches (continued)



2834 53 2830 54

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Plates selection chart (p. 36)

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2810 50	1 gang - 1-way switch ○ White
10	2810 51	1 gang - 2-way switch ○ White
4	2810 69	1 gang - intermediate switch ○ White
10	2810 52	2 gang - 1-way switch ○ White
10	2810 53	2 gang - 2-way switch ○ White
10	2810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2830 50	1 gang - 1-way switch ● Silver
5	2832 50	● Pearl
5	2834 50	● Dark Silver
5	2830 51	1 gang - 2-way switch ● Silver
5	2832 51	● Pearl
5	2834 51	● Dark Silver
4	2830 69	1 gang - intermediate switch ● Silver
4	2832 69	● Pearl
4	2834 69	● Dark Silver
5	2830 52	2 gang - 1-way switch ● Silver
5	2832 52	● Pearl
5	2834 52	● Dark Silver
5	2830 53	2 gang - 2-way switch ● Silver
5	2832 53	● Pearl
5	2834 53	● Dark Silver
5	2830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2832 54	● Pearl
5	2834 54	● Dark Silver
5	2830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2832 55	● Pearl
5	2834 55	● Dark Silver

NEW

Mallia™ complete - white

push-buttons, dimmers, automatic switches



2810 40



2810 84

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Mallia™ dressable - colour

push-buttons, dimmers, automatic switches



2830 84



2834 90

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Plates selection chart (p. 36)

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
10	2810 41	N/O contact (push to make) ○ White
10	2810 40	N/O contact with bell symbol ○ White

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
5	2830 41	N/O contact (push to make) ● Silver ● Pearl ● Dark Silver
5	2832 41	
5	2834 41	
5	2830 40	N/O contact with bell symbol ● Silver ● Pearl ● Dark Silver
5	2832 40	
5	2834 40	

Pack	Cat.Nos	Dimmers
1	2810 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 ○ White
1	2810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ○ White

Pack	Cat.Nos	Dimmers
1	2830 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 ● Silver ● Pearl ● Dark Silver
1	2832 80	
1	2834 80	
1	2830 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ● Silver ● Pearl ● Dark Silver
1	2832 84	
1	2834 84	

Pack	Cat.Nos	Automatic switches
1	2810 90	Automatic switches IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White

Pack	Cat.Nos	Automatic switches
1	2830 90	Automatic switches IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ● Silver ● Pearl ● Dark Silver
1	2832 90	
1	2834 90	

Mallia™ complete - white

double pole switches



2810 62

2810 72

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate. Dim.: 86 x 86 mm

Double pole switches 20 AX - 250 V~

Pack	Cat.Nos	Description
10	2810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2810 61	1 gang - 1-way with LED power indicator ○ White
10	2810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White
10	2810 65	2 gang - 1-way with LED power indicator ○ White
10	2810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Double pole switches 45 A - 250 V~

10	2810 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator ○ White
10	2810 72	1 gang - 1-way with red indicator and cooker marking ○ White
10	2810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™ dressable - colour

double pole switches



2832 62

2834 66

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates. Dim.: 86 x 86 mm

Double pole switches 20 AX - 250 V~

Pack	Cat.Nos	Description
5	2830 60	Equipped with earth link connector 1 gang - 1-way
5	2832 60	○ Silver
5	2834 60	○ Pearl ● Dark Silver
5	2830 61	1 gang - 1-way with LED power indicator
5	2832 61	○ Silver
5	2834 61	○ Pearl ● Dark Silver
5	2830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking
5	2832 62	○ Silver
5	2834 62	○ Pearl ● Dark Silver
5	2830 65	2 gang - 1-way with LED power indicator
5	2832 65	○ Silver
5	2834 65	○ Pearl ● Dark Silver
5	2830 66	1 gang - 1-way with LED power indicator and cable outlet
5	2832 66	○ Silver
5	2834 66	○ Pearl ● Dark Silver
5	2830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking
5	2832 67	○ Silver
5	2834 67	○ Pearl ● Dark Silver
5	2830 68	1 gang - 2-way with "WATER HEATER" marking
5	2832 68	○ Silver
5	2834 68	○ Pearl ● Dark Silver

Double pole switches 45 A - 250 V~

5	2830 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator
5	2832 71	○ Silver
5	2834 71	○ Pearl ● Dark Silver
5	2830 72	1 gang - 1-way with red indicator and cooker marking
5	2832 72	○ Silver
5	2834 72	○ Pearl ● Dark Silver
5	2830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm
5	2832 73	○ Silver
5	2834 73	○ Pearl ● Dark Silver

NEW

Mallia™ complete - white

other lighting functions, cooker control units



2810 91



2810 75

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Programmable switches
1	2810 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
1	2810 91	Time delay switches Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
1	2810 81	Fan speed controls 400 VA rotary fan control ○ White
1	2810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White
10	2810 75	Cooker control units 45 A - 250 V~ Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White

Mallia™ dressable - colour

other lighting functions, cooker control units



2832 81



2812 75

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Programmable switches
1 1 1	2830 92 2832 92 2834 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ● Silver ● Pearl ● Dark Silver
1 1 1	2830 91 2832 91 2834 91	Time delay switches Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ● Silver ● Pearl ● Dark Silver
1 1 1	2830 81 2832 81 2834 81	Fan speed controls 400 VA rotary fan control ● Silver ● Pearl ● Dark Silver
1 1 1	2830 82 2832 82 2834 82	5-speed fan control 100 W for fan with overall diameter 48" ● Silver ● Pearl ● Dark Silver
5 5 5	2812 75 2832 75 2834 75	Cooker control units 45 A - 250 V~ Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver

Mallia™ complete - white

telephone and data sockets









2811 60



2811 65

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 
5	2811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 

5	2811 61	Data sockets RJ 45 Cat. 5e UTP ○ White 
5	2811 62	RJ 45 Cat. 6 UTP ○ White 
5	2811 64	Double RJ 45 Cat. 5e UTP ○ White 
5	2811 65	Double RJ 45 Cat. 6 UTP ○ White 

Pack	Cat.Nos	Telephone and data sockets
5	2811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White 

Mallia™ dressable - colour

telephone and data sockets

NEW





2835 63







2831 62

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

 Plates selection chart (p. 36)

Pack	Cat.Nos	Telephone sockets
5	2831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector  ● Silver ● Pearl ● Dark Silver
5	2833 60	
5	2835 60	
5	2831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector  ● Silver ● Pearl ● Dark Silver
5	2833 63	
5	2835 63	

5	2831 61	Data sockets RJ 45 Cat. 5e UTP  ● Silver ● Pearl ● Dark Silver
5	2833 61	
5	2835 61	
5	2831 62	RJ 45 Cat. 6 UTP  ● Silver ● Pearl ● Dark Silver
5	2833 62	
5	2835 62	
5	2831 64	Double RJ 45 Cat. 5e UTP  ● Silver ● Pearl ● Dark Silver
5	2833 64	
5	2835 64	
5	2831 65	Double RJ 45 Cat. 6 UTP  ● Silver ● Pearl ● Dark Silver
5	2833 65	
5	2835 65	

Pack	Cat.Nos	Telephone and data sockets
5	2831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP  ● Silver ● Pearl ● Dark Silver
5	2833 66	
5	2835 66	

Mallia™ complete - white

telephone, data, television, shaver sockets and cable outlets

Mallia™ dressable - colour

telephone, data, television, shaver sockets and cable outlets



2811 35

2811 47



2835 51

2831 35

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 86 mm

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates. Dim.: 86 x 86 mm

		Television sockets	
10	2811 51		TV female terminal socket ○ White
10	2811 52		TV female "F" type socket ○ White
10	2811 53		TV-R terminal socket ○ White
5	2811 57		TV-R-SAT socket ○ White
2	2811 55		TV-FM SCV outlet type F (2gang) ○ White

		Television sockets	
5	2831 51		TV female terminal sockets ● Silver ● Pearl ● Dark Silver
5	2833 51		
5	2835 51		
5	2831 52		TV female "F" type sockets ● Silver ● Pearl ● Dark Silver
5	2833 52		
5	2835 52		
5	2831 53		TV-R terminal sockets ● Silver ● Pearl ● Dark Silver
5	2833 53		
5	2835 53		
5	2831 57		TV-R-SAT sockets ● Silver ● Pearl ● Dark Silver
5	2833 57		
5	2835 57		
5	2831 55		TV-FM SCV outlet type F (2gang) ● Silver ● Pearl ● Dark Silver
5	2833 55		
5	2835 55		

		Shaver sockets	
1	2811 35		240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ○ White

		Shaver sockets	
1	2831 35		240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ● Silver ● Pearl ● Dark Silver
1	2833 35		
1	2835 35		

		Cable outlets	
10	2811 47		20 A ○ White
5	2811 48		45 A ○ White

		Cable outlets	
5	2831 47		20 A ● Silver ● Pearl ● Dark Silver
5	2833 47		
5	2835 47		
5	2831 48		45 A - supplied complete with plate ● Silver ● Pearl ● Dark Silver
5	2833 48		
5	2835 48		

Mallia™ complete - white
British standard socket outlets



2811 10



2811 14

Conform to BS EN 60669 – 1. Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection. Supplied complete with plate. Dim.: 86 x 86 mm

Mallia™ dressable - colour
British standard socket outlets

NEW



2833 13

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1. Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2811 12	2 gang unswitched ○ White Dim.: 146 x 86 mm
10	2811 11	1 gang - single pole switched ○ White
10	2811 14	1 gang - single pole switched with red power indicator ○ White
5	2811 13	2 gang - single pole switched ○ White Dim.: 146 x 86 mm
5	2811 15	2 gang - single pole switched with red power indicator ○ White Dim.: 146 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
5	2831 10	Conform to BS 1363: Part 2 1 gang unswitched ● Silver ● Pearl ● Dark Silver
5	2833 10	
5	2835 10	
5	2831 12	2 gang unswitched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver
5	2833 12	
5	2835 12	
5	2831 11	1 gang - single pole switched ● Silver ● Pearl ● Dark Silver
5	2833 11	
5	2835 11	
5	2831 14	1 gang - single pole switched with red power indicator ● Silver ● Pearl ● Dark Silver
5	2833 14	
5	2835 14	
5	2831 13	2 gang - single pole switched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver
5	2833 13	
5	2835 13	
5	2831 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver
5	2833 15	
5	2835 15	

Mallia™ complete - white

British standard socket outlets and fused connection units



2811 28



2811 29

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Mallia™ dressable - colour

British standard socket outlets and fused connection units



2835 28



2833 42

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2811 27	Conform to BS 546 1 gang unswitched ○ White
10	2811 28	1 gang switched ○ White
10	2811 29	1 gang switched, with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2811 31	Conform to BS 546 1 gang unswitched ○ White
10	2811 32	1 gang switched ○ White

Pack	Cat.Nos	13 A fused connection units
10	2811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2811 41	Switched ○ White
10	2811 42	Switched with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
5	2831 27	Conform to BS 546 1 gang unswitched ● Silver ● Pearl ● Dark Silver
5	2833 27	
5	2835 27	
5	2831 28	1 gang switched ● Silver ● Pearl ● Dark Silver
5	2833 28	
5	2835 28	
5	2831 29	1 gang switched, with red LED power indicator ● Silver ● Pearl ● Dark Silver
5	2833 29	
5	2835 29	

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
5	2831 31	Conform to BS 546 1 gang unswitched ● Silver ● Pearl ● Dark Silver
5	2833 31	
5	2835 31	
5	2831 32	1 gang switched ● Silver ● Pearl ● Dark Silver
5	2833 32	
5	2835 32	

Pack	Cat.Nos	13 A fused connection units
5	2831 40	Conform to BS 1363: Part 4 Unswitched ● Silver ● Pearl ● Dark Silver
5	2833 40	
5	2835 40	
5	2831 41	Switched ● Silver ● Pearl ● Dark Silver
5	2833 41	
5	2835 41	
5	2831 42	Switched with red LED power indicator ● Silver ● Pearl ● Dark Silver
5	2833 42	
5	2835 42	

Mallia™ complete - white

Euro-US and German standard socket outlets



2811 00

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2811 00	2P - 1 gang ○ White
5	2811 01	2P - 1 gang + 10 A switch ○ White
10	2811 02	2P - 2 gang (separated connection) ○ White
10	2811 03	2P+E - 1 gang ○ White
10	2811 04	2P+E - 2 gang ○ White

Pack	Cat.Nos	German standard socket outlets 16 A - 250 V~
10	2811 25	2P+E - 1 gang ○ White

Mallia™ dressable - colour

Euro-US and German standard socket outlets

NEW



2835 02



2833 25

Plates selection chart (p. 36)

Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
5	2831 00	2P - 1 gang ● Silver ● Pearl ● Dark Silver
5	2833 00	
5	2835 00	
5	2831 01	2P - 1 gang + 10 A switch ● Silver ● Pearl ● Dark Silver
5	2833 01	
5	2835 01	
5	2831 02	2P - 2 gang (separated connection) ● Silver ● Pearl ● Dark Silver
5	2833 02	
5	2835 02	
5	2831 03	2P+E - 1 gang ● Silver ● Pearl ● Dark Silver
5	2833 03	
5	2835 03	
5	2831 04	2P+E - 2 gang ● Silver ● Pearl ● Dark Silver
5	2833 04	
5	2835 04	

Pack	Cat.Nos	German standard socket outlets 16 A - 250 V~
5	2831 25	2P+E - 1 gang ● Silver ● Pearl ● Dark Silver
5	2833 25	
5	2835 25	

NEW

Mallia™ modular - white

modular sockets



Mallia™ modular - colour

modular sockets



Plates selection chart (p. 36)

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 To be equipped with 2-gang support frames and plates
 Dim.: 146 x 86 mm


Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 To be equipped with 2-gang support frames and plates
 Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlets modular mechanisms
5	2818 55	To be equipped with 2-gang support frame and plates 1 gang unswitched - British standard - 13 A - 250 V~ ○ White
5	2818 58	1 gang switched - British standard - 13 A - 250 V~ ○ White
8	2818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~ ○ White
5	2818 50	2P+E - 1 gang - German standard - 16 A - 250 V~ ○ White

Pack	Cat.Nos	Socket outlets modular mechanisms
5	2818 56	To be equipped with 2-gang support frame and plates 1 gang unswitched - British standard - 13 A - 250 V~ ● Silver
5	2818 75	● Pearl
5	2818 76	● Dark Silver
5	2818 59	1 gang switched - British standard - 13 A - 250 V~ ● Silver
5	2818 78	● Pearl
5	2818 79	● Dark Silver
8	2818 48	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~ ● Silver
8	2818 67	● Pearl
8	2818 68	● Dark Silver
5	2818 51	2P+E - 1 gang - German standard - 16 A - 250 V~ ● Silver
5	2818 70	● Pearl
5	2818 71	● Dark Silver

Mallia™ complete - white
switches for hotels, downlighters

Mallia™ dressable - colour
switches for hotels, downlighters



Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Plates selection chart (p. 36)

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2810 48	Key card switches - 15 A Time delay around 30 s ○ White
10	2810 45	Do not disturb / Occupied / Clean up Bell push-buttons ○ White
10	2810 46	Do not disturb / Clean up - 2 gang switches ○ White

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2830 48	Key card switches - 15 A Time delay around 30 s ● Silver ● Pearl ● Dark Silver
1	2832 48	
1	2834 48	
5	2830 45	Do not disturb / Occupied / Clean up Bell push-buttons ● Silver ● Pearl ● Dark Silver
5	2832 45	
5	2834 45	
5	2830 46	Do not disturb / Clean up - 2 gang switches ● Silver ● Pearl ● Dark Silver
5	2832 46	
5	2834 46	

Pack	Cat.Nos	Downlighters
5	2810 97	Low output downlighters 230 V~, with LED ○ White

Pack	Cat.Nos	Downlighters
5	2830 97	Low output downlighters 230 V~, with LED ● Silver ● Pearl ● Dark Silver
5	2832 97	
5	2834 97	

Mallia™ complete - white

sound distribution



2811 82 2811 84

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Mallia™ dressable - colour

sound distribution



2833 80 2831 85

Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Plates selection chart (p. 36)

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2811 80	Kit containing : - 1 power supply - 1 tuner - 2 loudspeakers ○ White


Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2831 80	Kit containing : - 1 power supply - 1 tuner - 2 loudspeakers ● Silver ● Pearl ● Dark Silver
1	2833 80	
1	2835 80	

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1	2811 82	Central units ○ White
1	2811 83	Local control units With LCD display, child surveillance and intercommunication ○ White
1	2811 84	Radio tuner with local control units Dim.: 146 x 86 mm ○ White
1	2811 85	Loudspeakers ○ White

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1	2831 82	Central units ● Silver ● Pearl ● Dark Silver
1	2833 82	
1	2835 82	
1	2831 83	Local control units With LCD display, child surveillance and intercommunication ● Silver ● Pearl ● Dark Silver
1	2833 83	
1	2835 83	
1	2831 84	Radio tuner with local control units Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver
1	2833 84	
1	2835 84	
1	2831 85	Loudspeakers ● Silver ● Pearl ● Dark Silver
1	2833 85	
1	2835 85	




Mallia™ dressable

plates, frames, blanking plates, adaptors and accessories



Plates

Pack	Cat.Nos	
1 gang		
10	2819 00	○ White
10	2819 05	● Silver
10	2819 10	● Champagne
10	2819 50	● Pearl
10	2819 55	● Dark Silver
10	2819 60	● Brass
10	2819 65	● Bronze
10	2819 70	● Matt Black
10	2819 75	● Copper
2 x 1 gang		
5	2819 01	○ White
5	2819 06	● Silver
5	2819 11	● Champagne
5	2819 51	● Pearl
5	2819 56	● Dark Silver
5	2819 61	● Brass
5	2819 66	● Bronze
5	2819 71	● Matt Black
5	2819 76	● Copper
2 gang - Vertical		
For Cat.Nos 2810 73, 2830 73, 2832 73 and 2834 73 (p. 24)		
5	2819 02	○ White
5	2819 07	● Silver
5	2819 12	● Champagne
5	2819 52	● Pearl
5	2819 57	● Dark Silver
5	2819 62	● Brass
5	2819 67	● Bronze
5	2819 72	● Matt Black
5	2819 77	● Copper



Support frames and plates - for modular mechanism socket outlets

Pack	Cat.Nos	
2 gang		
Supplied with fixing screws		
5	2819 30	○ White
5	2819 31	● Silver
5	2819 32	● Champagne
5	2819 33	● Pearl
5	2819 34	● Dark Silver
5	2819 46	● Brass
5	2819 47	● Bronze
5	2819 48	● Matt Black
5	2819 49	● Copper

Blanking plates

Pack	Cat.Nos	
Supplied without plates		
1 gang		
10	2811 90	○ White
10	2831 90	● Silver
10	2833 90	● Pearl
10	2835 90	● Dark Silver
2 gang		
5	2811 91	○ White
5	2831 91	● Silver
5	2833 91	● Pearl
5	2835 91	● Dark Silver



Mosaic / Arteur™ (Square) adaptors

Pack	Cat.Nos	
Supplied without plates		
1 gang		
5	2811 92	○ White
5	2831 92	● Silver
5	2833 92	● Pearl
5	2835 92	● Dark Silver
2 gang		
5	2811 93	○ White
5	2831 93	● Silver
5	2833 93	● Pearl
5	2835 93	● Dark Silver



Transparent rockers with label holders for switches

Pack	Cat.Nos	
Can be used instead of the standard rocker plates Supplied with white labels		
5	2818 95	1 gang
5	2818 96	2 gang
5	2818 97	3 gang



Lamps

Pack	Cat.Nos	
For locator use		
10	2819 97	LED 220 V, green low consumption
For indicator use		
10	2819 98	LED 220 V, red - high luminosity



Mallia™

complete or dressable: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia White



■ Modular mounting: Mallia White and colours (Please consult us)



■ Dressable mounting: Mallia colours



Mallia™

plates selection chart

PLATES					
		1 gang	2 x 1 gang	2 gang	2 gang
White 	2819 00	2819 01	2819 02	2819 30	
Silver 	2819 05	2819 06	2819 07	2819 31	
Champagne 	2819 10	2819 11	2819 12	2819 32	
Pearl 	2819 50	2819 51	2819 52	2819 33	
Dark Silver 	2819 55	2819 56	2819 57	2819 34	
Brass 	2819 60	2819 61	2819 62	2819 46	
Bronze 	2819 65	2819 66	2819 67	2819 47	
Matt Black 	2819 70	2819 71	2819 72	2819 48	
Copper 	2819 75	2819 76	2819 77	2819 49	

Red catalogue numbers: New products



Blanking plates



Mosaic or Arteor™ (square) adaptors

Blanking plates		Mosaic or Arteor™ (square) adaptors	
1 gang	2 gang	1 gang	2 gang
2811 90	2811 91	2811 92	2811 93
2831 90	2831 91	2831 92	2831 93
-	-	-	-
2833 90	2833 91	2833 92	2833 93
2835 90	2835 91	2835 92	2835 93
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-



**Legrand Singapore
Showroom**

15 Jalan Kilang Barat
#07-05/06/07 Frontech Centre
Singapore 159357

Tel: (65) 6861 2234

Fax: (65) 6416 1580

Email: customerhub.sh@legrand.com.sg

Website: www.legrand.com.sg