






Push the boundaries



A person's world is only as big as his heart. A person's home is only as good as his mind. Have a big heart, be open-minded and push the boundaries, spiritually and physically, from the life space to the details that matter.


Pieno, a switch that pushes the boundaries, for the big-hearted and the open-minded.

Uncluttered design with a distinctive jumbo dolly and an overall slim profile, Pieno has pushed the boundaries of the switch design paradigm. Each dolly fills its space, reaching the edges like no other. The maximized space of the integrated faceplate has enlightened the clean and clutter-free design, and seamlessly fits in to any space. Bold straight lines accented by small curves bring sleekness to the muscular design language. Pieno is yet another switch to aspire to among the wide spectrum of Schneider Electric's design excellence.




Conceived as the perfect combination between form and function, Pieno presents an overall slim profile despite the jumbo dolly, thanks to the innovative SS Mechanism. The 3-degree short throw switching angle is half that of the conventional rocker-type switch, confirming Pieno's status as the "Slim Rocker". The flutter-free switching reduces vibration and sparks, and the switch is operated by a softer press, which delivers a "Sure Click" plus improved durability and reliability.





SS Mechanism


Conventional rocker



PerfectFace[®] Switch Architecture consists of two patented designs that bring unprecedented integrity to the moving parts in rocker-type switches. The dollies and surround are integrated into one piece, removing one installation step while keeping a consistent distance and perfect alignment between dollies and surround. The grid plate is uniquely designed to contour the wall to minimize gaps between the switch and an uneven wall after installation. Moreover, excessive paint on the mechanism can be totally covered by the integrated faceplate to maintain a perfect wall finishing. PerfectFace[®] Switch Architecture is the perfection of aesthetic value and installation efficiency.







White-on-white locator The white-on-white locator merges seamlessly with the white dolly. Unobtrusive by day, the locator shines with a comforting glow in the darkness.



Circular base design Pieno's circular base design can easily fit into the common 60mm diameter wall opening for a faster and more convenient installation in false walls or furniture.

Top quality

Made of corrosion resistant, heat resistant, and impact resistant polycarbonate

IEC, BS, SS, MS, GB, CCC and/or IS compliant

All RoHS compliant



				Product Number	Product Description
Flush Swite	ches				
	ALC: NO.	ACCOUNTS.	030000	E8231L1F	16AX 250V 1 Gang 1 Way Switch with Fluorescent Locator
	1000	1.1111	1000	E8232L1F	16AX 250V 2 Gang 1 Way Switch with Fluorescent Locator
-		10-235	and the second se	E8233L1F	16AX 250V 3 Gang 1 Way Switch with Fluorescent Locator
E8231L1F E8231L2F	E8232L1F E8232L2F	E8233L1F E8233L2F	E8234L1F E8234L2F	E8234L1F	10AX 250V 4 Gang 1 Way Switch with Fluorescent Locator
	100	121012	10.000	E8231L2F	16AX 250V 1 Gang 2 Way Switch with Fluorescent Locator
				E8232L2F	16AX 250V 2 Gang 2 Way Switch with Fluorescent Locator
E8231L1N	E8232L1N	E8233L1N	E8234L1N	E8233L2F	16AX 250V 3 Gang 2 Way Switch with Fluorescent Locator
				E8234L2F	10AX 250V 4 Gang 2 Way Switch with Fluorescent Locator
1000				E8231L1N	16AX 250V 1 Gang 1 Way Switch with Neon
	-			E8232L1N	16AX 250V 2 Gang 1 Way Switch with Neon
E8231BPL1	E8231MF			E8233L1N	16AX 250V 3 Gang 1 Way Switch with Neon
				E8234L1N	10AX 250V 4 Gang 1 Way Switch with Neon
				E8231BPL1	10A 250V 1 Gang Bell Press Switch with Fluorescent Locator
				E8231MF	16AX 250V 1 Gang Intermediate Switch with Fluorescent Locator
Dimmer Sw	vitch, Fan Coi	ntrol Switch,	Curtain Switch		
0				E8232RD450	450VA 250V 1 Gang Dimmer with Switch
				E8232V500FM_K	500VA 250V 1 Gang Fan Controller with Switch
1				E8231CF	10A Mechanical Curtain Switch with Fluorescent Locator
E8231CF					
Time Delay	/ Switches				
	-			E8231ETR60	200VA Electronic Time Delay Switch (1-60 Minutes Adjustable)
	•			E8231ETPE	200VA Sound Activated Switch with Off Delay, 2 Wire
4				E8231ETPE4	200VA Sound Activated Switch with Off Delay, 4 Wire
E8231ETR60	E8231ETPE E8231ETPE4				
Double Pol	e Switches				
	10000			E8231D20N	20A 250V 1 Gang Double Pole Switch with Neon
				E8232D20N	20A 250V 2 Gang Double Pole Switch with Neon
	+ +	τ	=	E8231D20N_2	20A 250V 1 Gang 2 Way Double Pole Switch with Neon
E8231D20N E8231D20N_2	E8232D20N	E8231D32N	E8231D45N	E8231D32N	32A 250V 1 Gang Double Pole Switch with Neon
				E8231D45N	45A 250V 1 Gang Double Pole Switch with Neon
Momentary	y Switches				
	10000000	1000000		E8231PRL1F	10A 250V 1 Gang Momentary Switch with Fluorsecent Locator
	1000	1000		E8232PRL1F	10A 250V 2 Gang Momentary Switch with Fluorsecent Locator
		1000		E8233PRL1F	10A 250V 3 Gang Momentary Switch with Fluorsecent Locator
E8231PRL1F	E8232PRL1F	E8233PRL1F			
Panic Butto	on				
= 1				E8231KPB	Panic Button with Key Reset
E8231KPB					
0.1.1.0.1	de te	_			
Socket Out	tlets			582426 F	EA 2E01/1 Case Z Dound Din Sacket
	.11	. 44		E82426_5	5A 250V 1 Gang 3 Round Pin Socket
				E8215_5N	5A 250V 1 Gang 3 Round Pin Switched Socket with Neon
E82426	E8215	E8215N E8215DN		E8215_5N_RD E82426	5A 250V 1 Gang 3 Round Pin Switched Socket with Neon, Full Red
		E8215DN			13A 250V 1 Gang Socket
	말	H	¥ ¥	E8215	13A 250V 1 Gang Switched Socket
			** **	E8215N	13A 250V 1 Gang Switched Socket with Neon
E82T426		E82T25	E82T25N E82T25DN	E8215N_RD	13A 250V 1 Gang Switched Socket with Neon, Full Red
1000	11.000	10.00		E82T426	13A 250V Twin Gang Socket
	E.			E82T25	13A 250V Twin Gang Switched Socket
				E82T25N	13A 250V Twin Gang Switched Socket with Neon
E8215DRC	E82T25DR	С		E8215DN	13A 250V 1 Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
		214	-	E82T25DN	13A 250V Twin Gang Double Pole Switched Socket with Neon and Dual Earth Terminal
			\odot	E8215DRC	13A 250V 1 Gang Double Pole Switched RCD Socket
E82426_5	E82426_15	E8215_15N	E82426_16S	E82T25DRC	13A 250V Twin Gang Double Pole Switched RCD Socket
_02.20_0				E82426_15	15A 25OV 1 Gang 3 Round Pin Socket
				E8215_15	15A 250V 1 Gang 3 Round Pin Switched Socket
				E8215_15N	15A 250V 1 Gang 3 Round Pin Switched Socket with Neon
				E8215_15N_RD	15A 250V 1 Gang 3 Round Pin Switched Socket with Neon, Full Red
				E82426_16S	16A 250V 1 Gang Schuko Socket
Connection	n and Contro	l Units			
	THE D	22		E8231TB	25A 250V 1 Gang Connection Unit
٠				E82554	45A 250V 1 Gang Connection Unit
E8231TB	E82T15D45	5N		E82T15D45N	45A 250V Double Pole Switch with Neon + 13A Switched Socket with Neon
LOZJIID	LO2 113D45				

				Product Number	Product Description				
Fused Con	nection Units								
-				E8230FSG	13A 250V 1 Gang Fused Connection Unit				
	-	L		E8230FSGN	13A 250V 1 Gang Fused Connection Unit with Neon				
		Server 1		E8231DFSGN	13A 250V 1 Gang Fused Connection Unit with Double Pole Switch and Neon				
E8230FSG	E8230FSGN	E8231DFSGN							
Telecomm	unication Acc	essories							
				E8231TVM	1 Gang TV Socket Master, 75 Q5-860MHz				
۰				E8231TVS	1 Gang TV Socket Slave, 75 $$ Ω 5-860MHz				
E8231TV	E8231TVMF	E8232TV	E8232TVF	E8231TV	1 Gang TV Socket, 75 ΩThrough-Connection				
E8231TVM E8231TVS	E8231TVSF	LOZSZIV	LOZZZTVF	E8232TV	2 Gang TV Socket, 75 Ω Through-Connection				
				E8231TVMF	1 Gang TV Socket Master, 5-1000 MHz, F Connection				
100		• •		E8231TVSF	1 Gang TV Socket Slave, 5-1000 MHz, F Connection				
E8231TVF	E8232TVFMM	E8233SMATV		E8231TVF	1 Gang CATV Socket				
E82311 VF	E82321VFMM	E82335MATV		E8232TVF	2 Gang TV Socket, F Connection				
				E8232TVFMM	2 Gang TV Master/FM Socket				
• -	10			E8233SMATV	TV/FM/SAT TV Socket, F Connection, Triangle Arrangement 1 Gang TV + RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate				
E8232TVRJS	E8232TVFRJS	E8231RJS	E8232RJS	E8232TVRJS_5					
E8232TVRJS_5	E8232TVFRJS_5	E8231RJS4 E8231RJS_5	E8232RJS4 E8232RJS_5	E8232TVFRJS_5	1 Gang TV F Connection + RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate				
100				E8232TVRJS	1 Gang TV + RJ45 Data Outlet, Keystone on Shuttered Wallplate (without Module)				
1				E8232TVFRJS	1 Gang TV F Connection + RJ45 Data Outlet, Keystone on Shuttered Wallplate (without Module)				
E8231VC_5	E8231SC	E8232SC	E8231RCA_S	E8231RJS	1 Gang Shuttered Keystone Wallplate (without Module)				
				E8232RJS	2 Gang Shuttered Keystone Wallplate (without Module)				
:		1		E8231RJS4	1 Gang Telephone Socket, Keystone on Shuttered Wallplate				
· ·	12	1.1.1		E8232RJS4	2 Gang Telephone Socket, Keystone on Shuttered Wallplate				
E8233RGB	E8232HDUSB	E8232HD15PH		E8231RJS_5	1 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate				
				E8232RJS_5	2 Gang RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate				
				E8232TDRJS_5	1 Gang Telephone + RJ45 Data Outlet, Category 5e, Keystone on Shuttered Wallplate				
				E8231VC_5	5W Volume control, 8 Ω				
				E8231SC	Speaker Connection, One Pair				
				E8232SC	Speaker Connection, Two Pairs				
				E8231RCA_S	RCA and S-Video Socket				
				E8233RGB	Component Video Socket				
				E8232HDUSB	HDMI and USB Socket				
				E8232HD15PH	VGA and Mini Audio Socket				
Hotel Accessories									
_	1000	10000	Annual Annual State	E8231DMW	250V Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols				
1000				E8231BPDMW	10A 250V 1 Gang Bell Switch with Illuminated "Privacy", "Please Clean Up" & "Please Wait" Symbols				
E8231DMW	E8231BPDMW	E8231DS	E8231WS E8231CS	E8231DS	16AX 1 Gang Switch with Neon with "Privacy" Symbol				
LOZSIDHW	2023101 01111	2023103	2023103 2023103	E8231WS	16AX 1 Gang Switch with Neon with "Please Wait" Symbol				
		(F -	25	E8231CS	16AX 1 Gang Switch with Neon with "Please Clean Up" Symbol				
2 2 4		5	: 5	E8233DMWS	16AX 3 Gang Switch with Neon with "Privacy", "Please Clean Up" &				
E8233DMWS	E8231EKT	E82T727H		E8231EKT	"Please Wait" Symbols 16A 250V Electronic Key Card Switch with Time Delay				
				E82T727H	115V/240V Universal Shaver Unit, Horizontal				
			E82T727V	E82T727V	115V/240V Universal Shaver Unit, Vertical				
Flush Plate	s and Access	ories							
rasifirate	e and Access			E8230X	1 Gang Blank Plate				
				E8230TX	Twin Gang Blank Plate				
				E8231X	1 Gang Blank Plate with 30M Hole				
E8230X	E8230TX	E8	231X E8232X	E8232X	2 Gang Blank Plate with 30M Hole				
Night Foot	Lamp								
				E8290FLW	Night Foot Lamp with LED Illumination				

E8290FLW

Color Availability



Aspiring to ...

A space where no big heart is bound.

About Schneider Electric

As the global specialist in energy management with operations in more than 100 countries, Schneider Electric offers integrated solutions across multiple market segments, including leadership positions in energy and infrastructure, industrial processes, building automation, and data centres/networks, as well as a broad presence in residential applications. Focused on making energy safe, reliable, and efficient, the company's 100,000+ employees achieved sales of more than 15.8 billion euros in 2009, through an active commitment to help individuals and organisations "Make the most of their energy".

The Installation Systems & Control Division of Schneider Electric provides solutions that represent the best in lifestyle and innovation for offices, hotels and homes. These solutions include award-winning products in the areas of building and home automation, structured cabling, and designer switches and sockets. They help the finest architectures around the world to achieve more with less.

www.schneider-electric.com

