


History of Panasonic Home Shower

For more than 35 years, we have continued to develop products and accumulate know-how that allows us to deliver safe, easy-to-use, comfortable products to our customers.



Japan Technology

By designing all major parts for the temperature control in Japan to achieve more precise control, we are able to support greater showering safety and comfort for our customers.




CONTENTS

ш	0100	ih		w		
п	om		LUA	ww	. = .	

	_
History of Panasonic Home Shower Japan Technology	
Contents	
Luxury Shower Style	02
Comfort	03
Health	04
9 Safety Points	06
Home Shower Selection Tips	07
Electric Home Shower Product Line-up	
N Series	08
• M Series	10
• H Series	10
• R Series	11
Feature Comparison	11

Electric Home Shower Specifications



12


Luxury Shower Style

The shower is used so often, day in and day out, that it has become an essential part of our daily lives. Panasonic sees the shower as an important element to not only keep our bodies clean, but also to refresh our minds and keep us healthy. We make shower time more comfortable by raising the basic performance of your shower while also enhancing comfort, health, and safety. The end result is a more luxurious, more rewarding shower experience.









Comfort

Panasonic has insisted on providing its showers with advanced functions and easy operation. This offers a higher level of showering comfort that relaxes body and soul.

Stylish and Easy to See

NDP1/ND1

Large LCD Display

The NDP1/ND1 is equipped with a stylish, easy-to-see LCD screen on the main unit. This convenient display shows you the set shower temperature, mode, and time at a glance. The shower temperature can also be adjusted and the mode switched with a simple touch button operation.



Silent Operation

NDP1/HP1/NP2/ MP2/MP1/JP2

Silent DC Pump

The DC pump gives you both a powerful water flow and quiet operation. You can feel free to take a shower late at night or after the family has gone to sleep.

*Made In Japan DC pump










The Comfort of a **Steady Temperature**

NDP1/ND1/MT1

Built-in Temperature Sensor

The temperature sensor is built into the main unit lets you maintain a constant shower temperature. You don't need to worry about the temperature changing while you shower, so you can enjoy showering in comfort.



Easy Switching Shower



3-Way Shower Selector

The switch selector on the shower head gives you 3-way control of the shower flow: Normal, Spot, or Wide. The Selector Button is built into the grip, so it's easy to press, and you can switch the shower flow with a single hand.



*The Selector button on the HP1/MP2/MP1/MT1/MS1 is in a different position.







Easy & Safety Push



One Push ON/OFF Switch

A large, easy-to-press ON/OFF switch on the main unit. The large button can be pressed even while showering with your eyes closed. One push lets you turn off the water and the electricity. It's a quicker, more convenient way to turn off the water.



Health

NDP1/ND1

The Panasonic Home Shower is more than just a shower function. It is also filled with healthful functions. Using it will improve your health from the inside out.



e-CYCLE

e-CYCLE technology, water alternates between hot and cold temperatures automatically. This amazing and revolutionary new discovery helps improve blood circulation and helps achieve healing, relaxing, detoxifying and massaging effects all at once.

e-HYBRID*

e-HYBRID combines a mixture of water and bubbles. This generates ultrasonic waves that vibrate the body and produce a cleansing effect. This also generate thermal energy that results in a Hyper Thermic effect. The negative ions create a renewal effect to the body and further enhance daily health.

*Only applicable to DH-3ND1MS

Eco & Saving


Save up to 43% on energy consumption


e-CYCLE

Thermal Effect

With the e-CYCLE shower, your body does not experience any hot flashes after you step out of the bathroom. Keeping your body's temperature in check, you will experience the same warmth even 15 minutes after your shower, ensuring your body feels good, and improving overall blood circulation.







Healing Relax Effect

Increases in emotions such as joy and relaxation, while reducing negative feelings such as anger and sadness are apparent after the e-CYCLE shower. Stress levels also drop, and users feel more relaxed and comfortable. You will also experience an increase in energy and feel more awake.




e-HYBRID


Hyper Thermic effect

e-HYBRID shower technology combines a mixture of water and bubbles. This generates ultrasonic waves that vibrate the body and produce a cleansing effect. The ultrasonic waves also generate thermal energy that results in a Hyper Thermic effect. The negative ions create a renewal effect to the body and further enhance daily health.

*Only applicable to DH-3ND1MS









Eco & Saving


Gentle on the environment

Magic Health not only keeps the body and mind healthy, it is also gentle on the environment. With e-CYCLE technology, its continuous cycle of generating 40 seconds of hot water and 30 seconds of cold water reduces 43% of the electricity usage. e-HYBRID also reduces water use by up to 20%, and eco e-HYBRID technology reduces waste and helps save energy. Magic Health refreshes you without causing you to worry about the electricity bill or water use.










Maintaining Cleanliness

Ag+ Crystal Antibacterial Shower Head

The antibacterial material containing Aq+ (silver) prevents mold generation. It prevents mold in the shower head, which often occurs in the humid environment of the bathroom, so the shower head remains constantly clean.





9 Safety Points

1



Insulated Structure

- Comply with IEC 60529 for protection provided by enclosure against access to hazardous parts with a finger and foreign objects
- Prevent electrical shock

2



Water Splash Proof Case Cover

- Comply with IEC 60529 (IP25) for protection
- The joint between the front plate and back plate has a water-resistant design
- Prevent fire/electrical shock



JET PUMP



Non Flammable Material Compliance

- UL-94-V0 Classification Material
- Self extinguish, noncombustible material for external casing (Front Plate/Back Plate)
- Prevent fire

4



One Push ON/OFF Switch / Main Switch ON/OFF

- Switch off both main power line and water supply line directly
 *The R Series only switches ON/OFF the main power line.
- Prevent burning and electric shock

5



Manual Reset Thermostat

- Cut off power supply in the event of component failure resulting in continuous heating in abnormal conditions
- Prevent fire

6



Durable Copper Heater Unit*1 / Reinforced Polyamide Heater Unit*2

- Self extinguish, non-combustible material for container
- Heat Resistant
- Prevent fire
- 13ND1, 3NDP1, 4HP1, 3NS2, 3NP2, 3NS1 23MP2, 3MP1, 3MT1, 3MS1, 3RP1, 3RL1





Auto Thermal Cut-Out (55°C)

- Cut off power supply in the event of water temperature exceeds hazards limit
- Prevent from burns (first-degree burn)





Built-in Earth Leakage Breaker (ELB)

- Mechanical Type, Double Pole Switch
- Double safety as it cuts off both neutral and live line completely if electricity leakage occurs
- Power supply cuts off automatically when unit has current leakage
- Prevent electric shock


9



Water Flow Sensor

- Cut off power supply if the water flow is too low which can lead to water temperature from becoming very hot
- Prevent over-heating

Home Shower Selection Tips




1) Single, double storey terrace house, bungalow, low rise building, etc



Method 1

The following diagrams are the general recommendation for which type of Panasonic electric home shower to be installed for optimum showering sensation (with or without built-in pump model) based on type of house.*



2) Condominium, apartment and high rise building - depends on location of the water tank


Method 2

More precise method to determine which type of Panasonic electric home shower to be used. 1.5l Technique:

Measure time taken to fill up water in a 1.5 litre container.

Recommendation:

: > 15 seconds Pump model : < 15 seconds Non-pump model



^{*}The final result may vary subject to the pipe distance from the water tank, size of the pipe and other factors that may affect the water pressure.

Electric Home Shower Product Line-up

N Series

NDP1/ND1

DH-3NDP1MS DH-3ND1MS







Non Pump Model DH-3ND1MS Pump Model DH-3NDP1MS

The NDP1/ND1 has a luxurious, Sleek Elegant Design. It offers reliable safety with a stylish appearance that matches bathroom spaces. The water temperature is maintained by electronic control, which lets you set the temperature with large LCD panel operation. The Magic Health function relaxes body and mind, to provide an even more comfortable shower time.

Main Features

- Large LCD Display
- Digital Temperature Control with LCD
- Magic Health: e-CYCLE, e-HYBRID



*Only applicable to DH-3ND1MS

DH-3NS1MW

Main Features

- 3-Way Shower Selector
- Ag+ Crystal-Antibacterial Shower Head
- 9 Safety Points











DH-3NS1MW

NP2/NS2 DH-3NP2MS DH-3NS2MS





Pump Model DH-3NP2MS

Non Pump Model DH-3NS2MS

The NP2/NS2 has a luxurious, Sleek Elegant Design. The beautifully textured metal look finish on the main unit and hose add to the luxury of the bathroom. Of course, it provides 9 safety points, and operation is enhanced by One Push ON/OFF Switch and shower mode switching on both the main unit and the shower head.

Main Features

- 3-Way Shower Selector
- Ag+ Crystal-Antibacterial Shower Head
- 9 Safety Points









Luxury Design



The slim, round form of the main unit with a stylish design that is both soft and flexible. This design of main unit makes your bathroom more stylish.



Electric Home Shower Product Line-up

M Series

MP2/MP1 MT1/MS1

DH-3MP2MX DH-3MP1MW DH-3MT1MK DH-3MS1MW





Pump Model DH-3MP2MX

Non Pump Model DH-3MT1MK







Non Pump Model DH-3MS1MW

Main Features

- 3-Way Shower Selector
- Ag+ Crystal-Antibacterial Shower Head
- 9 Safety Points







H Series

DH-4HP1M



Main Features

- 3-Way Shower Selector
- Ag+ Crystal-Antibacterial Shower Head
- 9 Safety Points









Pump Model DH-4HP1M

R Series

RP1/RL1

DH-3RP1MK DH-3RL1MW

Main Features

- ON/OFF Rotary Switch
- 9 Safety Points
- DC Pump












Non Pump Mode

Feature Comparison



Electric Home Shower Specifications

Model Number Type		N Series						
		DH-3NDP1MS	DH-3ND1MS	DH-3NP2MS	DH-3NS2MS	DH-3NS1MW		
		Dig	jital		Analog			
SPECIFICATION								
Power Supply	V/H	Hz			240 V, 50 Hz			
Power Consumption	kW	V			3.6 kW			
Water Pressure	Ма	ex			3.87 kgf/cm ²			
(kgf/cm²)	Mir	n	0.05 kgf/cm ²	0.1 kgf/cm ²	0.05 kgf/cm ²	0.1 kg	ıf/cm²	
Water Pressure	Ма	EX	380 kPa					
(kPa)	Mir	n	4.9 kPa	9.8 kPa	4.9 kPa	9.81	kPa	
Jet Pump	Í		DC PUMP	_	DC PUMP			
Power Selection		Digital Temperature Control with LCD			Electric Power Control			
Power Stop System				One Puch Stan C				
Water Stop System				One Push Stop System				
PRODUCT								
Body	Col	lor	Skin	Silver	Crysta	al Silver	Crystal White	
Dimension (H x W x D) mr		mension (H x W x D) mm			380 x 200 x 89			
Shower Head	Shower Head Color		Skin Silver		Crysta	al Silver	Crystal White	
	De	esign	Oval					
	Spray Type		3-Way					
Shower Plate		ower Plate			Ag+ Anti Bacteria			
Body Weight (Net)	Kg		3.0	2.2	2.6	2.6 1.7		
FEATURES								
e-CYCLE			•					
e-HYBRID				•				
Large LCD Display	Large LCD Display			•				
9 Safety Device	1	Push On-Off Switch	•					
	2	Built-in ELB			•			
	3	Heater Unit			Copper			
	4	Auto Thermal Cut Off	55℃					
	5	Manual Reset Thermostat	·					
	6	Water Flow Sensor	•					
	7	Water Splash Proof		IP25				
	8	Structure	Insulated					
	9	Material	Non Flammable Material Compliance					

	eries		H Series	n.c.	eries					
DH-3MP2MX DH-3MP1MW	DH-3MT1MK	DH-3MS1MW	DH-4HP1M	DH-3RP1MK	DH-3RL1MW					
		Analog								
		240 V, 50 Hz								
3.6	5 kW		4.8 kW	3.6	kW					
		3.87 kgf/cm²	3.87 kgf/cm²							
0.05 kgf/cm ²	0.1 kg	f/cm ² 0.05 kgf/cm ² 0.			0.1 kgf/cm ²					
		380kPa								
4.9 kPa	9.8	kPa	4.9	kPa	9.8 kPa					
DC PUMP			DC F	PUMP						
Electric Power Control	Electric Temperature Control		Electric Po	wer Control						
				On / Off P	ower Knob					
	One Push Stop System		Wate		Control Valve					
Mirror Finish White	Black	Wh	nite	Black	White					
420 x 1	185 x 85		450 x 170 x 89	380 x 1	90 x 93					
Solid	White		White	Solid White						
		Round								
3-Way 1-Way										
	Ag+ Anti Bacteria			-	_					
2.8	1.7	1.6	3.2	2.7	1.6					
<u> </u>										
_										
•										
•										
Pla	Copper	Plastic								
55°C										
•										
•										
				IP25						

Terms & Conditions:

- 1. All information contained in this leaflet is correct at the time of printing, and is subject to change without prior notice.
- 2. Images are for illustration purposes only.
- 3. Due to printing considerations, the actual color may vary slightly from those shown.
- 4. Panasonic Malaysia Sdn. Bhd. reserves the right to revise any content in this leaflet as it deems fit without prior notice.

Panasonic Malaysia Sdn Bhd (26975-W)
Customer Care Centre: Tel: 03-7953 7600 (Mon to Fri: 9am-5pm)
Lot 10, Jalan 13/2, 46200 Petaling Jaya, Selangor Darul Ehsan.
E-mail: ccc@my.panasonic.com www.panasonic.com.my