



Your partner in lighting technology

LIGHTING

Product Brochure




2019



LED Downlight Series




 SL173 - 135 ± 2mm
 SL176 - 215 ± 2mm
 SL181 - 181 ± 2mm
 SL184 - 220 ± 2mm

Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 173	11	800	830/840 /865	160	60
SL 173	16	1200		160	60
SL 181	22	2000	830/840 /865	188	98
SL 181	30	2450		188	98
SL 176	41	4100		235	165
SL 184	67	6100		250	206



LED Downlight Series





 199 ± 2mm

Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 174	49	4700	830/840	235	165
SL 174	67	6100	/865	235	210




LED Downlight Series




Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 177.4	11	800	830/840 /865	160	155
SL 177.4	16	1200		160	155
SL 177.6	22	2000	830/840 /865	188	155
SL 177.6	30	2450		188	155
SL 177.8	41	4100		188	205
SL 177.8	49	4700		188	205



LED Downlight Series




 SL 189.4 - 105 ± 2mm
 SL 189.6 - 145 ± 2mm
 SL 189.8 - 190 ± 2mm

Model	Nominal Wattage (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 189.4	10	1110	830/840 /865	120	85
SL 189.6	10	1120		170	115
SL 189.6	20	2210	830/840 /865	170	115
SL 189.8	20	2250		225	135
SL 189.8	30	3180		225	135





PLUTO LED Downlight Series

LED Downlight Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 190 (4")	10	1030	830/840 /865	120	36
SL 190 (4")	12	1178		120	36
SL 190 (6")	12	1277		170	36
SL 190 (6")	15	1510		170	36
SL 190 (6")	20	2095		170	36
SL 190 (8")	20	2134		223	37
SL 190 (8")	23	2390		223	37



LED Tracklight Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 265	8	650	830/835 /840	110	150
SL 265	15	1250		110	150
SL 265	22	2000		110	150
SL 265	30	3000		110	150





LED Adjustable Downlight Series




Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 266	22	2000	830/835 /840	195	145
SL 266	30	3000		195	145
SL 266	43	4000		195	145



LED Downlight Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	L (mm)	W (mm)	H (mm)
CL 100.4 RD	10	800	830/840 /865	150	-	-	25
CL 100.6 RD	18	1400		175	-	-	25
CL 101.4 SQ	10	800		-	150	150	25
CL 101.6 SQ	18	1400		-	175	175	25







PLUTO LED

Downlight Series

LED Ceiling Light Series




Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	L (mm)	W (mm)	H (mm)
CL 102.6 RD	12	1000		175	-	-	35
CL 102.8 RD	18	1750	830/840	225	-	-	35
CL 103.6 SQ	12	1000	/865	-	175	175	35
CL 103.8 SQ	18	1850		-	225	225	35



VENUS LED

Lowbay Series

LED Lowbay Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	L (mm)	W (mm)	H (mm)
SL 413	89	11800	840/857	365	365	95
SL 414	89	12100		365	365	70


**Optic Lens optional change to 60° upon request



PHILIPS



LED Lowbay Series




Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	L (mm)	W (mm)	H (mm)
SL 415	47	6150	840/857	445	215	95
SL 416	47	6300		445	215	70

**Optic Lens optional change to 60° upon request



PHILIPS



URANUS LED Highbay Series


LED Highbay Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 407.100	103	12550	740/765	360	180
SL 407.150	152	18250		360	180
SL 407.200	204	25450		420	200



LED Highbay Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	Ø (mm)	H (mm)
SL 410.100	99	13950	730/740 1757	250	215
SL 410.150	150	20450		315	235
SL 410.200	199	27200		315	230




LED Highbay Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	L (mm)	W (mm)	H (mm)
SL 411.50	50	6000	840/865	342	136	85
SL 411.100	100	12000		632	136	85
SL 411.150	150	18000		925	136	85
SL 411.200	200	24000		1217	136	85



LED Highbay Series



Model	Nominal Power (W)	Nominal System Lumen Output (lm)	CRI & CCT	L (mm)	W (mm)	H (mm)
SLT B3 (1x2)	49	7100	840/850/ 865	595	182	71
SLT D3 (1x4)	97	14150		1176	182	71
SLT F3 (1x4)	149	21750		1176	247	71

